

Aços - Laminados e Trefilados

Diâmetro		Peso Teórico kg/m		
<i>pol.(")</i>	<i>mm</i>	●	■	●
1/4"	6,35	0,25	0,32	0,27
5/16"	7,94	0,39	0,49	0,43
3/8"	9,53	0,56	0,71	0,62
7/16"	11,11	0,76	0,97	0,84
1/2"	12,70	0,99	1,27	1,10
9/16"	14,29	1,26	1,60	1,39
5/8"	15,88	1,55	1,98	1,71
11/16"	17,46	1,88	2,39	2,07
3/4"	19,05	2,24	2,85	2,47
13/16"	20,64	2,63	3,34	2,89
7/8"	22,23	3,05	3,88	3,36
15/16"	23,81	3,50	4,45	3,85
1"	25,40	3,98	5,06	4,38
1.1/16"	26,99	4,49	5,72	4,95
1.1/8"	28,58	5,04	6,41	5,55
1.3/16"	30,16	5,61	7,14	6,18
1.1/4"	31,75	6,21	7,91	6,85
1.5/16"	33,34	6,85	8,73	7,55
1.3/8"	34,93	7,52	9,58	8,29
1.7/16"	36,51	8,22	10,46	9,06
1.1/2"	38,10	8,95	11,40	9,86
1.9/16"	39,69	9,71	12,37	10,70
1.5/8"	41,28	10,51	13,38	11,58
1.11/16"	42,86	11,32	14,42	12,48
1.3/4"	44,45	12,18	15,51	13,43
1.13/16"	46,04	13,07	16,64	14,40
1.7/8"	47,63	13,99	17,81	15,42
1.15/16"	49,21	14,93	19,01	16,45
2"	50,80	15,91	20,26	17,54
2.1/16"	52,39	16,92	21,55	18,65
2.1/8"	53,98	17,96	22,87	19,80
2.3/16"	55,56	19,03	24,23	20,98
2.1/4"	57,15	20,14	25,64	22,19
2.5/16"	58,74	21,27	27,09	23,45
2.3/8"	60,33	22,44	28,57	24,73
2.7/16"	61,91	23,63	30,09	26,04
2.1/2"	63,50	24,86	31,65	27,40
2.9/16"	65,09	26,12	33,26	28,79
2.5/8"	66,68	27,41	34,90	30,21

Aços - Laminados e Trefilados

Diâmetro		Peso Teórico kg/m		
<i>pol.(")</i>	<i>mm</i>	●	■	●
2.11/16"	68,26	28,73	36,58	31,66
2.3/4"	69,85	30,08	38,30	33,15
2.13/16"	71,44	31,46	40,06	34,68
2.7/8"	73,03	32,88	41,87	36,24
2.15/16"	74,61	34,32	43,70	37,83
3"	76,20	35,80	45,58	39,45
3.1/8"	79,38	38,85	49,46	42,82
3.1/4"	82,55	42,01	53,49	46,30
3.3/8"	85,73	45,31	57,69	49,94
3.1/2"	88,90	48,72	62,04	53,70
3.5/8"	92,08	52,27	66,56	57,61
3.3/4"	95,25	55,93	71,22	61,65
3.7/8"	98,43	59,73	76,05	65,83
4"	101,60	63,64	81,03	70,14
4.1/8"	104,77	67,67	86,17	74,59
4.1/4"	107,95	71,84	91,48	79,18
4.3/8"	111,12	76,12	96,93	83,90
4.1/2"	114,30	80,54	102,56	88,77
4.5/8"	117,47	85,07	108,32	93,77
4.3/4"	120,65	89,74	114,27	98,91
4.7/8"	123,82	94,52	120,35	104,18
5"	127,00	99,44	126,61	109,60
5.1/4"	133,35	109,63	139,59	120,83
5.1/2"	139,70	120,32	153,20	132,61
5.3/4"	146,05	131,50	167,45	144,94
6"	152,40	143,19	182,32	157,82
6.1/4"	158,75	155,37	-	-
6.1/2"	165,10	168,05	-	-
6.3/4"	171,45	181,22	-	-
7"	177,80	194,89	-	-
7.1/4"	184,15	209,06	-	-
7.1/2"	190,50	223,73	-	-
7.3/4"	196,85	238,89	-	-
8"	203,20	254,55	-	-
8.1/4"	209,55	270,71	-	-
8.1/2"	215,90	287,37	-	-
8.3/4"	222,25	304,52	-	-
9"	228,60	322,17	-	-
9.1/4"	234,95	340,32	-	-

Aços - Laminados e Trefilados

Diâmetro		Peso Teórico kg/m		
<i>pol.(")</i>	<i>mm</i>	●	■	●
9.1/2"	241,30	358,96	-	-
9.3/4"	247,65	378,10	-	-
10"	254,00	397,74	-	-
10.1/4"	260,35	417,88	-	-
10.1/2"	266,70	438,51	-	-
10.3/4"	273,05	459,64	-	-
11"	279,40	481,27	-	-
11.1/4"	285,75	503,39	-	-
11.1/2"	292,70	528,18	-	-
11.3/4"	298,45	549,13	-	-
12"	304,80	572,75	-	-
12.1/2"	317,50	621,47	-	-
13"	330,20	672,18	-	-
13.1/2"	342,90	724,88	-	-
14"	355,60	779,57	-	-
14.1/2"	368,30	836,25	-	-
15"	381,00	894,92	-	-
15.1/2"	393,70	955,57	-	-
16"	406,40	1018,22	-	-
17"	431,80	1149,47	-	-
18"	457,20	1288,68	-	-
19"	482,60	1435,85	-	-
20"	508,00	1590,96	-	-